


Foshan M&W Furniture Limited Company www.mwworkstation.com





C系列屏风由20mm,32mm,40mm,50mm,60mm 5种不同厚度、同一风格外形的屏风组成。 每个厚度的屏风都具有完整独立的屏风功能。 不同厚度屏风之间可以实现互相组合,给予外观设计与财务预算灵活性。

C series is combined by 20mm, 32mm, 40mm, 50mm, 60mm five different thickness but similar shape panels. Each thickness is a completed panel system.

And they can join with each other to give more flexibility in design and more control in financial budget.






Panel T=20mm 屏风厚度20mm































# C40-C60 厚薄连接 Thin-wide connection

\_














配件元素表


## C系列厚薄连接屏风分解图 Break down




C系列厚薄连接柱 C series Thin-wide connection













C32-C50







C32-C60




C40-C60





屏风不带线槽板(C20只适合于这款 )no cable channel



屏风底部带:T3线槽板 1 cable channel


屏风标准高度 standard height : H 1050、1100、1200、1350、1500、1650、1800mm。 屏风标准宽度 standard width : W 450、500、600、750、800、900、1050、1200、1400、1500、1600、1800mm。

## 屏风横向铝材开料说明

各横向铝材的尺寸 = 屏风宽度W-24mm 线槽板尺寸 = 屏风宽度W-25mm 横向铝材有:顶杆、顶封边、反挂中杆、下杆、线槽下杆、线槽上杆、带线槽中杆 横向单/双玻璃槽的尺寸 = 屏风宽度W-24mm


竖向铝材开料说明 A柱+侧封边的尺寸 = 屏风高度H-31mm 各转角柱+侧封边的尺寸 = 屏风高度H-36mm 竖向单/双玻璃槽的尺寸 = 指定高度

横向装饰面板尺寸 = 屏风宽度-15mm 单/双玻璃的尺寸 = 单/双玻璃槽尺寸-5mm



屏风带:二层T3线槽板 2 cable channel

配件元素表



```
厚薄组合表 Thin-wide connection table
```

	60mm	50mm	40mm	32mm	20mm
60mm	$\checkmark$	X			
50mm	Х	$\checkmark$	Х		
40mm		X	$\checkmark$	X	$\checkmark$
32mm	$\checkmark$	$\checkmark$	Х		Х
20mm	$\checkmark$	$\checkmark$		X	





# mwworkstation.com